Centre Number	Candidate Number	Name

# General Certificate of Education Ordinary Level

CHEMISTRY 5070/02

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

Paper 2

October/November 2004

1 hour 30 minutes

Candidates answer on the Question Paper. Additional Materials: Answer Paper.

### **READ THESE INSTRUCTIONS FIRST**

Write your name, Centre number and candidate number in the spaces provided at the top of this page and on any separate answer paper used.

Write in dark blue or black pen in the spaces provided on the Question Paper.

You may use a pencil for any diagrams, graphs, or rough working.

You may use a calculator.

Do not use staples, paper clips, highlighters, glue or correction fluid.

#### **Section A**

Answer **all** questions.

A copy of the Periodic Table is printed on page 16.

### **Section B**

Answer three questions.

Write your answers on any line pages provided and/or a separate answer paper.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.


For Examiner's Use	
Section A	
В7	
В8	
В9	
B10	
TOTAL	

This document consists of **14** printed pages and **2** lined pages.



# **Section A**

A1 The diagram shows where five water samples, A to E, were taken from a river.



The table shows information about the water samples.

sample	temperature / °C	dissolved oxygen / ppm
Α	6	15
В	5	13
С	6	13
D	13	12
E	8	

(a)		scribe how the temperature of the river water changes as it flows from the source of river to the sea.
		[1]
(b)	Fer	tiliser enters the river as it flows past the farmland.
	(i)	Suggest the oxygen content of water sample E.
	(ii)	Explain your reasoning.

© UCLES 2004 5070/02/O/N/04

(c) Samples B was taken before and sample C was taken after the water was treated for use as the water supply for the town. Complete the table to show how the contents change when the water is treated.

contents	change (increases / decreases / stays the same)
dissolved minerals	stays the same
suspended particles	
dissolved oxygen	stays the same
living microbes (e.g. bacteria)	
chlorine	

[3]

**A2** 

substance	type of bonding	melting point / °C	boiling point /°C
iodine	covalent	114	184
lead(II) bromide	ionic	370	914
methane	covalent	-182	-161
bromine	covalent	-7	59
silicon dioxide	covalent	1610	2230
lithium	metallic	180	1360

Use the substances named in the table to answer the following questions.

(a) Name the substances that are not solids at room temperature and pressure.

[1]

(b) Which substance is a liquid over the largest temperature range?

[1]

(c) Name the substances that are non-metallic elements.

[1]

(d) Which two substances conduct electricity when molten?

[1]


(e) Explain, using ideas about structure, why methane and silicon dioxide have different melting points.

[2]

(f) Describe a method for making lead from lead(II) bromide.

[1]

**A3** This is the structure of an ester made in a reversible reaction between a carboxylic acid and an alcohol.



(a) (i) State the conditions for this reaction.

 	[2]

(ii) Draw the structure of the carboxylic acid used in the reaction.

(iii)	Write an equation for this reaction.
	[2


**(b)** A student carried out some experiments to compare the relative strengths of dilute ethanoic acid with dilute hydrochloric acid.

dilute hydrochloric acid.	
	•••••
	[2]

(i) Describe a test that can be used to distinguish between dilute ethanoic acid and

(ii) Name a solid substance that will react with both acids. Describe what you will **see** during the reaction.

A4 Carbon monoxide detectors can be used in the home.



The orange spot turns black if there is a high concentration of carbon monoxide in the air.

(a) Why is carbon monoxide hazardou
-------------------------------------

**(b)** The spot turns black when palladium(II) chloride reacts with carbon monoxide to form palladium metal.

- (i) Complete the equation by writing the formula of the missing reactant in the box.
- (ii) Complete the table to show the oxidation states of palladium and carbon before and after the reaction takes place.

element	oxidation state before reaction	oxidation state after the reaction
palladium		
carbon		

(iii)	Use information from the table to explain why this is a redox reaction.	



.....[5]

(c) Name **one** industrial process that uses carbon monoxide as a reducing agent.

**A5** (a) Write an ionic equation for the reaction between zinc and aqueous copper(II) sulphate.

.....[1]

This reaction can be used to generate electricity in a cell.



- **(b)** Drawn an arrow on the diagram to show the direction of the flow of electrons in the wire. [1]
- (c) The voltage of the cell was measured when the following metals were used as electrode 2.

copper iron lead zinc

Complete the table by entering the metals in the correct order.

meter reading / V	metal
1.10	
0.78	
0.21	
0.00	

[2]

(d) When **metal M** was used as electrode 2, it produced a higher voltage than zinc. Suggest a name for **metal M**.

.....[1]

**A6** This question is about making salts.

(a)		each salt, suggest the name of the missing reagent and briefly describe how to ain the solid product from the reaction mixture.
	(i)	Salt to be made: lithium chloride.
		reagent 1: dilute hydrochloric acid
		reagent 2:
		I could obtain solid lithium chloride by:
	(ii)	Salt to be made: barium sulphate.
		reagent 1: aqueous potassium sulphate
		reagent 2:
		I could obtain solid barium sulphate by:
	(iii)	Salt to be made: blue copper(II) sulphate crystals.
		reagent 1: dilute sulphuric acid
		reagent 2:
		I could obtain blue copper(II) sulphate crystals by:
		[6]
(b)	Am acid	monium sulphate can be made by reacting aqueous ammonia with dilute sulphuric
		$2NH_3(aq) + H_2SO_4(aq) \to (NH_4)_2SO_4(aq)$
	Cal	culate the mass of ammonium sulphate that can be made from 51 g ammonia.
		[3]

#### **Section B**

Answer **three** questions from this section. Tie the extra sheets used loosely to this booklet.

B7 Magnesium carbonate decomposes when it is heated.


$$MgCO_3(s) \rightarrow MgO(s) + CO_2(g)$$

In an experiment, 10.5 g of magnesium carbonate was heated to a constant mass.

- (a) Sketch a graph to show how the volume of carbon dioxide collected changes with time. Explain your answer. [3]
- **(b)** Calculate the maximum volume of carbon dioxide, at room temperature and pressure, that can be formed from 10.5 g of magnesium carbonate. [3]
- **(c)** The experiment was repeated under the same conditions using zinc carbonate instead of magnesium carbonate.
  - (i) Describe how the rates of the reactions would be different. Explain your answer.
  - (ii) The same mass (10.5 g) of zinc carbonate was used. Would the total volume of carbon dioxide formed be the same? Explain your answer. [4]

[Total: 10 marks]

**B8** This diagram shows a fractionating column for the separation of crude oil.



The following fractions leave the column.

fraction	number of carbon atoms	boiling range / °C
naptha	7 – 14	90 – 150
paraffin	9 – 16	150 – 240
diesel oil	15 – 25	220 – 250

- (a) Which fractions leave the column at each of the points A, B and C? [1]
- **(b)** Explain how the fractionating column separates the crude oil mixture. [3]
- (c) Octane, C<sub>8</sub>H<sub>18</sub>, is a hydrocarbon in petrol. Hexadecane, C<sub>16</sub>H<sub>34</sub>, is one of the hydrocarbons in ship fuel.
  - (i) Show by calculation that hexadecane contains a higher percentage of carbon by mass than octane.

This is the equation for the complete combustion of octane.


$$2C_8H_{18}(I) + 25O_2(g) \rightarrow 16CO_2(g) + 18H_2O(g)$$

- (ii) Write an equation for the complete combustion of hexadecane.
- (iii) Use the equations to explain why hexadecane burns with a smokier flame than octane. [5]

(d) Name two fuels, suitable for cars, which do not come from crude oil. [1]

[Total: 10 marks]


**B9** Iron from the Blast Furnace contains carbon as an impurity. To remove the carbon, oxygen is blown on the molten iron in a large vessel known as a converter. The carbon is oxidised to carbon dioxide.




- (a) The temperature of the molten iron increases as the oxygen is blown onto it. Explain why. [1]
- **(b)** During the oxygen blow, some of the molten iron is oxidised to iron(III) oxide. Write an equation for this reaction. State symbols are not required. [2]

# **B9 CONTINUES OVERLEAF.**

**(c)** Scrap steel is recycled by being added, as a solid, to the molten iron, before the oxygen blow. The graph below shows how the temperature of the molten iron changes during the oxygen blow.



- (i) Describe how the temperature of the molten iron changes during the oxygen blow. Explain why the solid scrap steel affects the temperature change during the oxygen blow.
- (ii) Give a reason why it is important to recycle steel.
- (d) The diagram shows the arrangement of atoms in pure iron.



Draw similar diagrams to show the arrangement of atoms in

- (i) low carbon steel alloy,
- (ii) high carbon steel alloy.
- (iii) How do the properties of the two types of steel differ? Use your diagrams to explain why the properties are different. [4]

[Total: 10 marks]

[3]

**B10** Electroplating can be used to coat nickel with a thin coating of silver.

- (a) Draw a labelled diagram of an apparatus that can be used to electroplate silver onto nickel. [3]
- **(b)** Write equations, with state symbols, for the reactions at the anode and cathode. [2]
- (c) Solutions of two salts, A and B, were electrolysed using carbon electrodes. The following products were collected.

salt	products
Α	oxygen and hydrogen
В	chlorine and hydrogen

- (i) Suggest the names of the two salts, A and B.
- (ii) Describe tests to confirm the identifies of the three gases collected.

[Total: 10 marks]

[5]

The Periodic Table of the Elements DATA SHEET

						:					2						
								Gro	Group								
_	=											=	2	>	5		0
	-						-						•				4
							I										Не
							Hydrogen 1										Helium 2
7	6					•						11	12	14	16	19	20
=	Be											മ	ပ	z	0	щ	Ne
3 Lithium	Beryllium 4											Boron 5	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	Neon 10
23	24											27	28	31	32		40
Na	Mg											Ρſ		<b>_</b>	ഗ		Ā
Sodium 11	Magnesium 12											Aluminium 13	_	Phosphorus 15			Argon
39	40	45	48	51	52	55	26	59	59	64	99	70		75			84
×	g	လွင	F	>	ပ်	M	Ь	රි		ر د	Zu	Ga		As	Se		궃
Potassium 19	Calcium 20	Scandium 21	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	Iron 26	Cobalt 27	Nickel 28	Copper 29	Zinc 30		Ε	Arsenic 33	Selenium 34	Bromine 35	Krypton 36
85	88	88	91	93	96		101		106	108	112			122	128	127	131
Rb	Š	>	Zr	g N	Mo	ည	Ru		Pd	Ag	පි	In		Sb	<u>a</u>	Ι	Xe
Rubidium 37	Strontium 38	Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	49	Tin 50	Antimony 51	Tellurium 52	lodine 53	Xenon 54
133	137	139	178	181	184	186	190		195	197	201			209			
S	Ba	Ľ	Ξ	Тa	>	Re	Os	ĭ	ᆂ	Αn	Нg	11	Рр	<u>.</u>	S.	Αţ	Rn
Caesium 55	Barium 56	Lanthanum 57 *	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	Polonium 84	Astatine 85	Radon 86
	226	227															
ቷ	Ra	Ac															
Francium 87	Radium 88	Actinium 89 †											•			•	
*58-71	*58-71 I anthanoid series	l cariac		140	141			150	152			162	165	167	169	173	
1 +90-103	39-7 Lantinariold series +90-103 Actinoid series	Series		Če		PZ	Pm	Sm	En	Вd	Тр	۵	웃	ш	Tm	Υp	Γn
} }		2		Cerium 58	Praseodymium 59	Neodymium 60	Promethium 61	Samarium 62	Europium 63	Gadolinium 64		Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	
_	-	- rolor of or italian	00000														

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

**Lr** Lawrencium 103

Nobelium Nobelium

**Fn** Fermium

Einsteinium

Californium 198

**BK**Berkelium
97

Curium 96

**Am** Americium

Pu

**Neptunium** 

**2**38

Ра

232 **4** Thorium

a = relative atomic mass X = atomic symbol

Key

90

b = proton (atomic) number

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.